

Revised: 25/9/2024

---

## SAFETY DATA SHEET

This Safety Data Sheet is provided in compliance with the EC Regulations 1907/2006, 1272/2008, 2015/830 and 2020/878

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

- Product Name: RT154TH PART B (CURING AGENT)
- UFI: 2V30-Q0P7-W00M-E2XV
- Product Part Number: RT154TH PART B (CURING AGENT)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

- Use of the substance/mixture: Curing agent

#### 1.3 Details of the supplier of the safety data sheet

- Name of Supplier: Resintech Ltd
- Address of Supplier: Unit 1-2 Horcott Industrial Estate  
Fairford  
Gloucestershire  
GL7 4BX  
UK
- Telephone: +44 (0)1285 712755
- Responsible Person: Alex Paton
- Email: Info@resintech.co.uk

#### 1.4 Emergency telephone number

- Emergency Telephone: +44 (0)1285712755 (Monday-Friday 8am-4.30pm)
- 

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

- CLP: Resp. Sens. 1, Skin Sens. 1, Eye Dam. 1

#### 2.2 Label elements



- Signal Word: Danger
- Contains: 1,2,3,6-tetrahydro-3-methylphthalic anhydride

#### Hazard statements

- H317 - May cause an allergic skin reaction.
  - H318 - Causes serious eye damage.
  - H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.
-

**SECTION 2: Hazards identification (....)****Precautionary statements**

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

**Supplemental Hazard information (EU)**

EUH210 - Safety data sheet available on request.

**2.3 Other hazards**

- Not a PBT according to REACH Annex XIII
- Substance not identified as having endocrine disrupting properties

**SECTION 3: Composition/information on ingredients****3.2 Mixtures**

	CAS Number	EC Number	REACH Registration Number	Categories	H Statements	Concentration
1,2,3,6-tetrahydro-3-methylphthalic anhydride	5333-84-6	226-247-6	01-2119906338-37-0000	Skin Sens. 1 Eye Dam. 1 Resp. Sens. 1	H317 H318 H334	50 - 70%
Aluminum Hydroxide	21645-51-2	244-492-7	01-2119529246-39-0000	Substance with a work place exposure limit	Not applicable	30 - 50%
Silicones and siloxanes, dimethyl-, reaction products with silica	67762-90-7	924-588-1	Not applicable	Substance with a work place exposure limit	Not applicable	1 - 5%
2-Ethyl-4-methylimidazole	931-36-2	213-234-5	Not applicable	Acute Tox. 4 Skin Irrit. 2 Skin Sens. 1B Eye Dam. 1	H302 H315 H317 H318	<1%

**SECTION 4: First aid measures****4.1 General**

- Use personal protective equipment as required.
- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible)
- Wash contaminated clothing before reuse.

**Contact with eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

If substance has got into eyes, immediately wash out with plenty of water for at least 15 minutes

**Contact with skin**

**SECTION 4: First aid measures (....)**

After contact with skin, wash immediately with plenty of soap and water  
Take off contaminated clothing and wash it before reuse.  
If skin irritation or rash occurs: Get medical advice/attention.

**Ingestion**

If swallowed, rinse mouth with water (only if the person is conscious)  
Give water or milk to drink  
Do NOT induce vomiting.  
Get medical advice/attention if you feel unwell.

**Inhalation**

IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.  
Remove patient to fresh air

**4.2 Most important symptoms and effects, both acute and delayed**

- In cases of severe exposure, allergic reaction in susceptible people may develop
- Causes serious eye damage.
- In cases of severe exposure, breathing difficulty may develop

**4.3 Indication of any immediate medical attention and special treatment needed**

- Treat symptomatically
- 

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

- In case of fire use water spray or fog, alcohol resistant foam, dry chemical or carbon dioxide

**5.2 Special hazards arising from the substance or mixture**

- Decomposition products may include toxic and irritant fumes
- Nitrogen and carbon oxides may be formed

**5.3 Advice for firefighters**

- Keep container(s) exposed to fire cool, by spraying with water
  - Prevent run off water from entering drains if possible
  - Wear Positive-Pressure Breathing Apparatus
- 

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

- Wear protective clothing as per section 8
- Wash thoroughly after dealing with spillage
- Avoid contact with skin and eyes

**6.2 Environmental precautions**

- Avoid release to the environment.
- Absorb spillage in suitable inert material
- Do not discharge into drains or the environment, dispose to an authorised waste collection point

**6.3 Methods and material for containment and cleaning up**

- Wear protective clothing as per section 8
  - Absorb spillage in suitable inert material
  - Do not discharge into drains or the environment, dispose to an authorised waste collection point
-

---

**SECTION 6: Accidental release measures (....)**

- Wash thoroughly after dealing with spillage

**6.4 Reference to other sections**

- Wear protective clothing as per section 8
  - See Section 11 - Toxicological Information
- 

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

- Avoid release to the environment.
- Wear protective clothing as per section 8
- Take off contaminated clothing and wash it before reuse.
- In cases of severe exposure, allergic reaction in susceptible people may develop
- Do not eat, drink or smoke when using this product.
- After contact with skin, wash immediately with plenty of soap and water
- Wash hands and working surfaces thoroughly after handling.
- Use good personal hygiene practices
- Wash contaminated clothing before reuse.
- Dispose of contents/container to an authorised waste collection point

**7.2 Conditions for safe storage, including any incompatibilities**

- Keep container tightly closed, in a cool, well ventilated place
- Keep cool. Protect from sunlight.
- Keep away from food, drink and animal feedingstuffs

**7.3 Specific end use(s)**

- See Section 1.2
- 

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****2-Ethyl-4-methylimidazole**

DNEL (Industry; inhalational, long term systemic effects): 2.8 mg/m<sup>3</sup>

DNEL (Industry; dermal, long term systemic effects): 1.6 mg/kg

DNEL (Industry; dermal, long term local effects): 0.289 mg/cm<sup>2</sup>

**Silicones and siloxanes, dimethyl-, reaction products with silica**

WEL (inhalable dust) (long term): 6 mg/m<sup>3</sup> (UK)

WEL (respirable dust) (long term): 2.4 mg/m<sup>3</sup> (UK)

**Aluminum Hydroxide**

WEL (inhalable dust): 2.5 mg/m<sup>3</sup> (PL), 10 mg/m<sup>3</sup> (UK)

WEL (respirable dust): 1.2 mg/m<sup>3</sup> (PL), 4 mg/m<sup>3</sup> (UK)

WEL: 3 mg/m<sup>3</sup> (CH)

**8.2 Exposure controls**

**SECTION 8: Exposure controls/personal protection (....)**

- This Safety Data Sheet does not constitute a workplace risk assessment
- In case of inadequate ventilation wear respiratory protection.
- Eyewash bottles should be available
- Wear suitable protective clothing, eye/face protection and gloves
- Gloves should be chemical resistant and comply with an approved standard such as EN 455 or EN 374 and made from latex, nitrile or neoprene. Protective clothing should be based on the results of an exposure assessment. A polymer laminate apron is recommended in most cases. Eye and face protection should be chemical resistant and comply with an approved standard such as EN 166. If a respirator is needed following an exposure assessment it should conform to EN 136 or EN 143 (P3)
- Check with personal protection equipment manufacturer
- Use good personal hygiene practices
- Do not eat, drink or smoke when using this product.
- Wash contaminated clothing before reuse.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

- Appearance: Paste
- Colour: Cream, yellow
- Odour: Characteristic odour
- Boiling Point/Range: 200°C, Estimated Value
- Flammability: Flash point: >145 °C (CC)
- pH: Immiscible with water
- Solubility in water: Immiscible with water
- Density: Density (water=1): ≥1.35

**9.2 Other information**

- No information available

**SECTION 10: Stability and reactivity****10.1 Reactivity**

- Reference to other sections

**10.2 Chemical stability**

- Considered stable under normal conditions

**10.3 Possibility of hazardous reactions**

- No hazardous reactions known if used for its intended purpose

**10.4 Conditions to avoid**

- No hazard expected under normal conditions of use
- Keep away from heat

**10.5 Incompatible materials**

- Strong acids

**SECTION 10: Stability and reactivity (....)**

- Strong oxidising agent

**10.6 Hazardous decomposition products**

- No hazardous decomposition products known
- 

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

Estimated LD<sub>50</sub> (oral) (ATE) : >2000 mg/kg  
Estimated LD<sub>50</sub> (dermal) (ATE) : >4000 mg/kg  
Estimated LD<sub>50</sub> (inhalational) (ATE) : >20 mg/l/4hr (gas/vapour)

**2-Ethyl-4-methylimidazole**

LD<sub>50</sub> (oral, rat): 731 mg/kg

**1,2,3,6-tetrahydro-3-methylphthalic anhydride**

LD<sub>50</sub> (oral, rat): 2,000 mg/kg  
LD<sub>50</sub> (skin, rat): 2,000 mg/kg

**Silicones and siloxanes, dimethyl-, reaction products with silica**

LD<sub>50</sub> (oral, rat): >5,000 mg/kg  
LD<sub>50</sub> (skin, rat): >2,000 mg/kg

**Aluminum Hydroxide**

LD<sub>50</sub> (oral, rat): >2,000 mg/kg

**Skin corrosion/irritation**

May cause irritation

**Serious eye damage/irritation**

Causes serious eye damage.

**Respiratory or skin sensitisation**

May cause an allergic skin reaction.

**Germ cell mutagenicity**

Based on the available data, the classification criteria are not met

**Carcinogenicity**

Based on the available data, the classification criteria are not met

**Reproductive toxicity****STOT (specific target organ toxicity) - single exposure**

Based on the available data, the classification criteria are not met

---

**SECTION 11: Toxicological information (....)****STOT (specific target organ toxicity) - repeated exposure**

Based on the available data, the classification criteria are not met

**Aspiration hazard**

Based on the available data, the classification criteria are not met

**11.2 Information on other hazards**

- No information available

---

**SECTION 12: Ecological information****12.1 Toxicity****2-Ethyl-4-methylimidazole**

EC <sub>50</sub> (Daphnia magna):	297 mg/l (48 hr)
IC <sub>50</sub> (algae):	124.8 mg/l (72 hr)
LC <sub>50</sub> (fish):	68.1 mg/l (96 hr)
PNEC (Fresh water):	0.0681 mg/l
PNEC (Marine water):	0.00681 mg/l
PNEC (intermittent):	0.681 mg/l
PNEC (STP):	65 mg/l
PNEC (Sediment; fresh water):	34.9 mg/kg
PNEC (Sediment; marine water):	3.49 mg/kg
PNEC (Soil):	6.91 mg/kg

**1,2,3,6-tetrahydro-3-methylphthalic anhydride**

EC <sub>50</sub> (Daphnia magna):	130 mg/l (48 hr)
LC <sub>50</sub> (fish):	100 mg/l (96 hr)
PNEC (Fresh water):	2 mg/l
PNEC (intermittent):	0.79 mg/l
PNEC (Marine water):	0.2 mg/l
PNEC (STP):	0.699 mg/l
PNEC (Sediment; fresh water):	10.1 mg/kg
PNEC (Sediment; marine water):	1.01 mg/kg

**Silicones and siloxanes, dimethyl-, reaction products with silica**

EC <sub>50</sub> (daphnia):	>1,000 mg/l (48 hr)
LC <sub>50</sub> (fish):	>10,000 mg/l (96 hr)

**12.2 Persistence and degradability**

- Not readily biodegradable

**12.3 Bioaccumulative potential**

- Bioaccumulation is insignificant

**12.4 Mobility in soil**

**SECTION 12: Ecological information (....)**

- immiscible with water

**12.5 Results of PBT and vPvB assessment**

- Not a PBT according to REACH Annex XIII

**12.6 Endocrine disrupting properties**

- Substance not identified as having endocrine disrupting properties

**12.7 Other adverse effects**

- No information available
- 

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

- Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point
  - Wear protective clothing as per section 8
  - Dispose of contents/container to an authorised waste collection point
- 

**SECTION 14: Transport information****Not classified as hazardous for transport****14.1 UN number or ID number**

- UN No.: Not applicable

**14.2 UN proper shipping name**

- Proper Shipping Name: Not applicable

**14.3 Transport hazard class(es)**

- Hazard Class: Not applicable

**14.4 Packing group**

- Packing Group: Not applicable

**14.5 Environmental hazards**

- Presents no hazard to the environment

**14.6 Special precautions for user**

- IMDG EmS: Not applicable
- Tunnel Code: Not applicable
- Emergency Action Code: Not applicable

**14.7 Maritime transport in bulk according to IMO instruments**

- Not applicable
- 

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- This Safety Data Sheet is provided in compliance with the Health and Safety at Work Act
- This Safety Data Sheet is provided in compliance with the EC Regulations 1907/2006, 1272/2008, 2015/830 and 2020/878

**15.2 Chemical safety assessment**



**SECTION 15: Regulatory information (....)**

- This product is either exempt from REACH or does not meet the minimum volume threshold for a chemical safety assessment (CSA)
- 

**SECTION 16: Other information**

**Text not given with phrase codes where they are used elsewhere in this safety data sheet:- H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.**

Sections updated: 1.1, 8.2

**This information relates only to the material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy themselves as to the suitability of such information for their own use.**